


**INJECTÉ SUR UN ROULEMENT A BILLES – TEMPÉRATURE / - 40°C à + 85°C**




| <b>Ø</b> | <b>Largeur</b> | <b>Alésage</b> | <b>Rlt</b> | <b>Charge</b> | <b>Référence</b>   |
|----------|----------------|----------------|------------|---------------|--------------------|
| 18       | 6              | 4              | 684 ZZ     | 10            | <b>500 018</b>     |
| 18       | 6              | 4              | 684 2RS    | 10            | <b>500 018-2RS</b> |
| 22       | 10             | 5              | 625 ZZ     | 20            | <b>500 019</b>     |
| 22       | 10             | 5              | 625 2RS    | 20            | <b>500 019-2RS</b> |
| 25       | 10             | 6              | 626 ZZ     | 20            | <b>500 020</b>     |
| 25       | 10             | 6              | 626 2RS    | 20            | <b>500 020-2RS</b> |
| 26       | 12             | 6              | 626 ZZ     | 25            | <b>500 022</b>     |
| 26       | 12             | 6              | 626 2RS    | 25            | <b>500 022-2RS</b> |
| 28       | 16             | 8              | 608 ZZ     | 25            | <b>500 023</b>     |
| 28       | 16             | 8              | 608 2RS    | 25            | <b>500 023-2RS</b> |
| 30       | 11             | 8              | 608 ZZ     | 30            | <b>500 025</b>     |
| 30       | 11             | 8              | 608 2RS    | 30            | <b>500 025-2RS</b> |
| 30       | 11             | 9              | 609 ZZ     | 25            | <b>500 030</b>     |
| 30       | 11             | 9              | 609 2RS    | 25            | <b>500 030-2RS</b> |
| 32       | 16             | 8              | 608 ZZ     | 45            | <b>500 032</b>     |
| 32       | 16             | 8              | 608 2RS    | 45            | <b>500 032-2RS</b> |



16, rue du Docteur Charcot  
 BP 4052 - 59704 Marcq-en-Barœul Cedex  
 Tél. : +33 (0)3 20 51 09 55 - Fax : +33 (0)3 20 55 67 64  
 E-mail : rotem@rotem.fr  
 N° de TVA : FR 86 886 980 085 - Code NAF : 518N

NOUVEAU SITE WEB <http://www.rotem.fr>






| Ø  | Largeur | Alésage | Rlt      | Charge | Référence   |
|----|---------|---------|----------|--------|-------------|
| 35 | 9       | 6       | 626 ZZ   | 40     | 500 033     |
| 35 | 9       | 6       | 626 2RS  | 40     | 500 033-2RS |
| 35 | 11      | 8       | 608 ZZ   | 40     | 500 034     |
| 35 | 11      | 8       | 608 2RS  | 40     | 500 034-2RS |
| 35 | 15      | 10      | 6000 ZZ  | 60     | 500 013     |
| 35 | 15      | 10      | 6000 2RS | 60     | 500 013-2RS |
| 38 | 11      | 8       | 608 ZZ   | 45     | 500 016     |
| 38 | 11      | 8       | 608 2RS  | 45     | 500 016-2RS |
| 40 | 12      | 10      | 6000 ZZ  | 50     | 500 035     |
| 40 | 12      | 10      | 6000 2RS | 50     | 500 035-2RS |
| 40 | 14      | 10      | 6200 ZZ  | 70     | 500 036     |
| 40 | 14      | 10      | 6200 2RS | 70     | 500 036-2RS |
| 40 | 14      | 12      | 6001 ZZ  | 70     | 500 038     |
| 40 | 14      | 12      | 6001 2RS | 70     | 500 038-2RS |
| 40 | 20      | 10      | 6200 ZZ  | 90     | 500 040     |

  
 roues et techniques de la manutention  
 fabricant depuis 1969

16, rue du Docteur Charcot  
 BP 4052 - 59704 Marcq-en-Barœul Cedex  
 Tél. : +33 (0)3 20 51 09 55 - Fax : +33 (0)3 20 55 67 64  
 E-mail : rotem@rotem.fr  
 N° de TVA : FR 86 886 980 085 - Code NAF : 518N

NOUVEAU SITE WEB <http://www.rotem.fr>





| Ø  | Largeur | Alésage | Rlt          | Charge | Référence   |
|----|---------|---------|--------------|--------|-------------|
| 40 | 20      | 10      | 6200 2RS     | 90     | 500 040-2RS |
| 40 | 25      | 10      | 2 x 6000 ZZ  | 110    | 500 048     |
| 40 | 25      | 10      | 2 x 6000 2RS | 110    | 500 048-2RS |
| 42 | 14      | 15      | 6002 ZZ      | 80     | 500 045     |
| 42 | 14      | 15      | 6002 2RS     | 80     | 500 045-2RS |
| 44 | 12      | 12      | 6001 ZZ      | 70     | 500 041     |
| 44 | 12      | 12      | 6001 2RS     | 70     | 500 041-2RS |
| 44 | 16      | 12      | 6001 ZZ      | 80     | 500 042     |
| 44 | 16      | 12      | 6001 2RS     | 80     | 500 042-2RS |
| 45 | 13      | 12      | 6001 ZZ      | 80     | 500 090     |
| 45 | 13      | 12      | 6001 2RS     | 80     | 500 090-2RS |
| 45 | 15      | 12      | 6001 ZZ      | 80     | 500 092     |
| 45 | 15      | 12      | 6001 2RS     | 80     | 500 092-2RS |
| 49 | 15      | 10      | 6200 ZZ      | 80     | 500 043     |
| 49 | 15      | 10      | 6200 2RS     | 80     | 500 043-2RS |


..  
..  
..  
..  
..  
..  
..  
..  
..  
..  
..  
..



16, rue du Docteur Charcot  
BP 4052 - 59704 Marcq-en-Barœul Cedex  
Tél. : +33 (0)3 20 51 09 55 - Fax : +33 (0)3 20 55 67 64  
E-mail : rotem@rotem.fr  
N° de TVA : FR 86 886 980 085 - Code NAF : 518N

NOUVEAU SITE WEB <http://www.rotem.fr>





| <b>Ø</b> | <b>Largeur</b> | <b>Alésage</b> | <b>Rlt</b> | <b>Charge</b> | <b>Référence</b>   |
|----------|----------------|----------------|------------|---------------|--------------------|
| 50       | 12             | 15             | 6002 ZZ    | 70            | <b>500 044</b>     |
| 50       | 12             | 15             | 6002 2RS   | 70            | <b>500 044-2RS</b> |
| 50       | 15             | 8              | 608 ZZ     | 80            | <b>500 046</b>     |
| 50       | 15             | 8              | 608 2RS    | 80            | <b>500 046-2RS</b> |
| 50       | 15             | 10             | 6200 ZZ    | 100           | <b>500 050</b>     |
| 50       | 15             | 10             | 6200 2RS   | 100           | <b>500 050-2RS</b> |
| 50       | 15             | 12             | 6201 ZZ    | 100           | <b>500 051</b>     |
| 50       | 15             | 12             | 6201 2RS   | 100           | <b>500 051-2RS</b> |
| 50       | 15             | 15             | 6002 ZZ    | 100           | <b>500 094</b>     |
| 50       | 15             | 15             | 6002 2RS   | 100           | <b>500 094-2RS</b> |
| 50       | 18             | 10             | 6200 ZZ    | 100           | <b>500 096</b>     |
| 50       | 18             | 10             | 6200 2RS   | 100           | <b>500 096-2RS</b> |
| 50       | 18             | 12             | 6201 ZZ    | 100           | <b>500 052</b>     |
| 50       | 18             | 12             | 6201 2RS   | 100           | <b>500 052-2RS</b> |
| 50       | 18             | 15             | 6202 ZZ    | 110           | <b>500 054</b>     |


  
 roues et techniques de la manutention  
 fabricant depuis 1969

16, rue du Docteur Charcot  
 BP 4052 - 59704 Marcq-en-Barœul Cedex  
 Tél. : +33 (0)3 20 51 09 55 - Fax : +33 (0)3 20 55 67 64  
 E-mail : rotem@rotem.fr

N° de TVA : FR 86 886 980 085 - Code NAF : 518N

NOUVEAU SITE WEB <http://www.rotem.fr>





| Ø  | Largeur | Alésage | Rlt      | Charge | Référence   |
|----|---------|---------|----------|--------|-------------|
| 50 | 18      | 15      | 6202 2RS | 110    | 500 054-2RS |
| 50 | 18      | 17      | 6003 ZZ  | 110    | 500 053     |
| 50 | 18      | 17      | 6003 2RS | 110    | 500 053-2RS |
| 50 | 25      | 12      | 6201 ZZ  | 125    | 500 055     |
| 50 | 25      | 12      | 6201 2RS | 125    | 500 055-2RS |
| 50 | 25      | 15      | 6202 ZZ  | 115    | 500 057     |
| 50 | 25      | 15      | 6202 2RS | 115    | 500 057-2RS |
| 53 | 20      | 17      | 6203 ZZ  | 75     | 500 059     |
| 53 | 20      | 17      | 6203 2RS | 75     | 500 059-2RS |
| 55 | 20      | 12      | 6201 ZZ  | 115    | 500 061     |
| 55 | 20      | 12      | 6201 2RS | 115    | 500 061-2RS |
| 55 | 24      | 20      | 6204 ZZ  | 80     | 500 063     |
| 55 | 24      | 20      | 6204 2RS | 80     | 500 063-2RS |
| 57 | 20      | 17      | 6203 ZZ  | 135    | 500 065     |
| 57 | 20      | 17      | 6203 2RS | 135    | 500 065-2RS |




16, rue du Docteur Charcot  
 BP 4052 - 59704 Marcq-en-Barœul Cedex  
 Tél. : +33 (0)3 20 51 09 55 - Fax : +33 (0)3 20 55 67 64  
 E-mail : rotem@rotem.fr

N° de TVA : FR 86 886 980 085 - Code NAF : 518N

NOUVEAU SITE WEB <http://www.rotem.fr>






| <b>Ø</b> | <b>Largeur</b> | <b>Alésage</b> | <b>Rlt</b> | <b>Charge</b> | <b>Référence</b>   |
|----------|----------------|----------------|------------|---------------|--------------------|
| 60       | 15             | 10             | 6200 ZZ    | 110           | <b>500 066</b>     |
| 60       | 15             | 10             | 6200 2RS   | 110           | <b>500 066-2RS</b> |
| 60       | 20             | 17             | 6203 ZZ    | 150           | <b>500 067</b>     |
| 60       | 20             | 17             | 6203 2RS   | 150           | <b>500 067-2RS</b> |
| 60       | 20             | 20             | 6004 ZZ    | 150           | <b>500 068</b>     |
| 60       | 20             | 20             | 6004 2RS   | 150           | <b>500 068-2RS</b> |
| 60       | 25             | 15             | 6202 ZZ    | 150           | <b>500 069</b>     |
| 60       | 25             | 15             | 6202 2RS   | 150           | <b>500 069-2RS</b> |
| 60       | 25             | 20             | 6004 ZZ    | 150           | <b>500 071</b>     |
| 60       | 25             | 20             | 6004 2RS   | 150           | <b>500 071-2RS</b> |
| 62       | 20             | 17             | 6203 ZZ    | 160           | <b>500 072</b>     |
| 62       | 20             | 17             | 6203 2RS   | 160           | <b>500 072-2RS</b> |
| 62       | 21             | 25             | 6205 ZZ    | 180           | <b>500 080</b>     |
| 62       | 21             | 25             | 6205 2RS   | 180           | <b>500 080-2RS</b> |
| 63       | 20             | 17             | 6203 ZZ    | 160           | <b>500 073</b>     |

  
 roues et techniques de la manutention  
 fabricant depuis 1969

16, rue du Docteur Charcot  
 BP 4052 - 59704 Marcq-en-Barœul Cedex  
 Tél. : +33 (0)3 20 51 09 55 - Fax : +33 (0)3 20 55 67 64  
 E-mail : rotem@rotem.fr  
 N° de TVA : FR 86 886 980 085 - Code NAF : 518N

NOUVEAU SITE WEB <http://www.rotem.fr>






| Ø  | Largeur | Alésage | Rlt      | Charge | Référence   |
|----|---------|---------|----------|--------|-------------|
| 63 | 20      | 17      | 6203 2RS | 160    | 500 073-2RS |
| 64 | 18      | 12      | 6301 ZZ  | 150    | 500 024     |
| 64 | 18      | 12      | 6301 2RS | 150    | 500 024-2RS |
| 64 | 18      | 17      | 6203 ZZ  | 150    | 500 026     |
| 64 | 18      | 17      | 6203 2RS | 150    | 500 026-2RS |
| 65 | 15      | 12      | 6201 ZZ  | 130    | 500 027     |
| 65 | 15      | 12      | 6201 2RS | 130    | 500 027-2RS |
| 65 | 25      | 20      | 6204 ZZ  | 150    | 500 075     |
| 65 | 25      | 20      | 6204 2RS | 150    | 500 075-2RS |
| 70 | 17      | 17      | 6203 ZZ  | 100    | 500 076     |
| 70 | 17      | 17      | 6203 2RS | 100    | 500 076-2RS |
| 70 | 25      | 20      | 6204 ZZ  | 200    | 500 077     |
| 70 | 25      | 20      | 6204 2RS | 200    | 500 077-2RS |
| 70 | 35      | 20      | 6204 ZZ  | 220    | 500 078     |
| 70 | 35      | 20      | 6204 2RS | 220    | 500 078-2RS |

  
 roues et techniques de la manutention  
 fabricant depuis 1969

16, rue du Docteur Charcot  
 BP 4052 - 59704 Marcq-en-Barœul Cedex  
 Tél. : +33 (0)3 20 51 09 55 - Fax : +33 (0)3 20 55 67 64  
 E-mail : rotem@rotem.fr  
 N° de TVA : FR 86 886 980 085 - Code NAF : 518N

NOUVEAU SITE WEB <http://www.rotem.fr>





| Ø  | Largeur | Alésage | Rlt      | Charge | Référence   |
|----|---------|---------|----------|--------|-------------|
| 73 | 25      | 20      | 6204 ZZ  | 210    | 500 079     |
| 73 | 25      | 20      | 6204 2RS | 210    | 500 079-2RS |
| 75 | 20      | 17      | 6303 ZZ  | 160    | 500 081     |
| 75 | 20      | 17      | 6303 2RS | 160    | 500 081-2RS |
| 75 | 21      | 20      | 6204 ZZ  | 160    | 500 083     |
| 75 | 21      | 20      | 6204 2RS | 160    | 500 083-2RS |
| 80 | 20      | 17      | 6303 ZZ  | 175    | 500 085     |
| 80 | 20      | 17      | 6303 2RS | 175    | 500 085-2RS |
| 80 | 25      | 25      | 6205 ZZ  | 215    | 500 087     |
| 80 | 25      | 25      | 6205 2RS | 215    | 500 087-2RS |
| 85 | 25      | 20      | 6304 ZZ  | 175    | 500 088     |
| 85 | 25      | 20      | 6304 2RS | 175    | 500 088-2RS |
| 90 | 20      | 17      | 6303 ZZ  | 195    | 500 098     |
| 90 | 20      | 17      | 6303 2RS | 195    | 500 098-2RS |
| 90 | 20      | 25      | 6205 ZZ  | 190    | 500 097     |




16, rue du Docteur Charcot  
 BP 4052 - 59704 Marcq-en-Barœul Cedex  
 Tél. : +33 (0)3 20 51 09 55 - Fax : +33 (0)3 20 55 67 64  
 E-mail : rotem@rotem.fr

N° de TVA : FR 86 886 980 085 - Code NAF : 518N

NOUVEAU SITE WEB <http://www.rotem.fr>







| Ø   | Largeur | Alésage | Rlt      | Charge | Référence   |
|-----|---------|---------|----------|--------|-------------|
| 90  | 20      | 25      | 6205 2RS | 190    | 500 097-2RD |
| 95  | 20      | 17      | 6303 ZZ  | 170    | 500 099     |
| 95  | 20      | 17      | 6303 2RS | 170    | 500 099-2RS |
| 100 | 25      | 25      | 6205 ZZ  | 260    | 500 089     |
| 100 | 25      | 25      | 6205 2RS | 260    | 500 089-2RS |

..  
..  
..  
..  
..  
..  
..  
..  
..  
..  
..  
..  
..



16, rue du Docteur Charcot  
BP 4052 - 59704 Marcq-en-Barœul Cedex  
Tél. : +33 (0)3 20 51 09 55 - Fax : +33 (0)3 20 55 67 64  
E-mail : rotem@rotem.fr  
N° de TVA : FR 86 886 980 085 - Code NAF : 518N

NOUVEAU SITE WEB <http://www.rotem.fr>

