


**INJECTÉ SUR UN ROULEMENT A BILLES – TEMPÉRATURE / - 40°C à + 85°C**




<b>Ø</b>	<b>Largeur</b>	<b>Alésage</b>	<b>Rlt</b>	<b>Charge</b>	<b>Référence</b>
18	6	4	684 ZZ	10	<b>500 018</b>
18	6	4	684 2RS	10	<b>500 018-2RS</b>
22	10	5	625 ZZ	20	<b>500 019</b>
22	10	5	625 2RS	20	<b>500 019-2RS</b>
25	10	6	626 ZZ	20	<b>500 020</b>
25	10	6	626 2RS	20	<b>500 020-2RS</b>
26	12	6	626 ZZ	25	<b>500 022</b>
26	12	6	626 2RS	25	<b>500 022-2RS</b>
28	16	8	608 ZZ	25	<b>500 023</b>
28	16	8	608 2RS	25	<b>500 023-2RS</b>
30	11	8	608 ZZ	30	<b>500 025</b>
30	11	8	608 2RS	30	<b>500 025-2RS</b>
30	11	9	609 ZZ	25	<b>500 030</b>
30	11	9	609 2RS	25	<b>500 030-2RS</b>
32	16	8	608 ZZ	45	<b>500 032</b>
32	16	8	608 2RS	45	<b>500 032-2RS</b>



16, rue du Docteur Charcot  
 BP 4052 - 59704 Marcq-en-Barœul Cedex  
 Tél. : +33 (0)3 20 51 09 55 - Fax : +33 (0)3 20 55 67 64  
 E-mail : rotem@rotem.fr  
 N° de TVA : FR 86 886 980 085 - Code NAF : 518N

NOUVEAU SITE WEB <http://www.rotem.fr>






Ø	Largeur	Alésage	Rlt	Charge	Référence
35	9	6	626 ZZ	40	500 033
35	9	6	626 2RS	40	500 033-2RS
35	11	8	608 ZZ	40	500 034
35	11	8	608 2RS	40	500 034-2RS
35	15	10	6000 ZZ	60	500 013
35	15	10	6000 2RS	60	500 013-2RS
38	11	8	608 ZZ	45	500 016
38	11	8	608 2RS	45	500 016-2RS
40	12	10	6000 ZZ	50	500 035
40	12	10	6000 2RS	50	500 035-2RS
40	14	10	6200 ZZ	70	500 036
40	14	10	6200 2RS	70	500 036-2RS
40	14	12	6001 ZZ	70	500 038
40	14	12	6001 2RS	70	500 038-2RS
40	20	10	6200 ZZ	90	500 040

  
 roues et techniques de la manutention  
 fabricant depuis 1969

16, rue du Docteur Charcot  
 BP 4052 - 59704 Marcq-en-Barœul Cedex  
 Tél. : +33 (0)3 20 51 09 55 - Fax : +33 (0)3 20 55 67 64  
 E-mail : rotem@rotem.fr  
 N° de TVA : FR 86 886 980 085 - Code NAF : 518N

NOUVEAU SITE WEB <http://www.rotem.fr>





Ø	Largeur	Alésage	Rlt	Charge	Référence
40	20	10	6200 2RS	90	500 040-2RS
40	25	10	2 x 6000 ZZ	110	500 048
40	25	10	2 x 6000 2RS	110	500 048-2RS
42	14	15	6002 ZZ	80	500 045
42	14	15	6002 2RS	80	500 045-2RS
44	12	12	6001 ZZ	70	500 041
44	12	12	6001 2RS	70	500 041-2RS
44	16	12	6001 ZZ	80	500 042
44	16	12	6001 2RS	80	500 042-2RS
45	13	12	6001 ZZ	80	500 090
45	13	12	6001 2RS	80	500 090-2RS
45	15	12	6001 ZZ	80	500 092
45	15	12	6001 2RS	80	500 092-2RS
49	15	10	6200 ZZ	80	500 043
49	15	10	6200 2RS	80	500 043-2RS


..  
..  
..  
..  
..  
..  
..  
..  
..  
..  
..  
..  
..



16, rue du Docteur Charcot  
BP 4052 - 59704 Marcq-en-Barœul Cedex  
Tél. : +33 (0)3 20 51 09 55 - Fax : +33 (0)3 20 55 67 64  
E-mail : rotem@rotem.fr  
N° de TVA : FR 86 886 980 085 - Code NAF : 518N

NOUVEAU SITE WEB <http://www.rotem.fr>





<b>Ø</b>	<b>Largeur</b>	<b>Alésage</b>	<b>Rlt</b>	<b>Charge</b>	<b>Référence</b>
50	12	15	6002 ZZ	70	<b>500 044</b>
50	12	15	6002 2RS	70	<b>500 044-2RS</b>
50	15	8	608 ZZ	80	<b>500 046</b>
50	15	8	608 2RS	80	<b>500 046-2RS</b>
50	15	10	6200 ZZ	100	<b>500 050</b>
50	15	10	6200 2RS	100	<b>500 050-2RS</b>
50	15	12	6201 ZZ	100	<b>500 051</b>
50	15	12	6201 2RS	100	<b>500 051-2RS</b>
50	15	15	6002 ZZ	100	<b>500 094</b>
50	15	15	6002 2RS	100	<b>500 094-2RS</b>
50	18	10	6200 ZZ	100	<b>500 096</b>
50	18	10	6200 2RS	100	<b>500 096-2RS</b>
50	18	12	6201 ZZ	100	<b>500 052</b>
50	18	12	6201 2RS	100	<b>500 052-2RS</b>
50	18	15	6202 ZZ	110	<b>500 054</b>



**rotem**  
 roues et techniques de la manutention  
 fabricant depuis 1969

16, rue du Docteur Charcot  
 BP 4052 - 59704 Marcq-en-Barœul Cedex  
 Tél. : +33 (0)3 20 51 09 55 - Fax : +33 (0)3 20 55 67 64  
 E-mail : rotem@rotem.fr

N° de TVA : FR 86 886 980 085 - Code NAF : 518N

NOUVEAU SITE WEB <http://www.rotem.fr>





Ø	Largeur	Alésage	Rlt	Charge	Référence
50	18	15	6202 2RS	110	500 054-2RS
50	18	17	6003 ZZ	110	500 053
50	18	17	6003 2RS	110	500 053-2RS
50	25	12	6201 ZZ	125	500 055
50	25	12	6201 2RS	125	500 055-2RS
50	25	15	6202 ZZ	115	500 057
50	25	15	6202 2RS	115	500 057-2RS
53	20	17	6203 ZZ	75	500 059
53	20	17	6203 2RS	75	500 059-2RS
55	20	12	6201 ZZ	115	500 061
55	20	12	6201 2RS	115	500 061-2RS
55	24	20	6204 ZZ	80	500 063
55	24	20	6204 2RS	80	500 063-2RS
57	20	17	6203 ZZ	135	500 065
57	20	17	6203 2RS	135	500 065-2RS




16, rue du Docteur Charcot  
 BP 4052 - 59704 Marcq-en-Barœul Cedex  
 Tél. : +33 (0)3 20 51 09 55 - Fax : +33 (0)3 20 55 67 64  
 E-mail : rotem@rotem.fr

N° de TVA : FR 86 886 980 085 - Code NAF : 518N

NOUVEAU SITE WEB <http://www.rotem.fr>





<b>Ø</b>	<b>Largeur</b>	<b>Alésage</b>	<b>Rlt</b>	<b>Charge</b>	<b>Référence</b>
60	15	10	6200 ZZ	110	<b>500 066</b>
60	15	10	6200 2RS	110	<b>500 066-2RS</b>
60	20	17	6203 ZZ	150	<b>500 067</b>
60	20	17	6203 2RS	150	<b>500 067-2RS</b>
60	20	20	6004 ZZ	150	<b>500 068</b>
60	20	20	6004 2RS	150	<b>500 068-2RS</b>
60	25	15	6202 ZZ	150	<b>500 069</b>
60	25	15	6202 2RS	150	<b>500 069-2RS</b>
60	25	20	6004 ZZ	150	<b>500 071</b>
60	25	20	6004 2RS	150	<b>500 071-2RS</b>
62	20	17	6203 ZZ	160	<b>500 072</b>
62	20	17	6203 2RS	160	<b>500 072-2RS</b>
62	21	25	6205 ZZ	180	<b>500 080</b>
62	21	25	6205 2RS	180	<b>500 080-2RS</b>
63	20	17	6203 ZZ	160	<b>500 073</b>


  
 roues et techniques de la manutention  
 fabricant depuis 1969

16, rue du Docteur Charcot  
 BP 4052 - 59704 Marcq-en-Barœul Cedex  
 Tél. : +33 (0)3 20 51 09 55 - Fax : +33 (0)3 20 55 67 64  
 E-mail : rotem@rotem.fr

N° de TVA : FR 86 886 980 085 - Code NAF : 518N

NOUVEAU SITE WEB <http://www.rotem.fr>





Ø	Largeur	Alésage	Rlt	Charge	Référence
63	20	17	6203 2RS	160	500 073-2RS
64	18	12	6301 ZZ	150	500 024
64	18	12	6301 2RS	150	500 024-2RS
64	18	17	6203 ZZ	150	500 026
64	18	17	6203 2RS	150	500 026-2RS
65	15	12	6201 ZZ	130	500 027
65	15	12	6201 2RS	130	500 027-2RS
65	25	20	6204 ZZ	150	500 075
65	25	20	6204 2RS	150	500 075-2RS
70	17	17	6203 ZZ	100	500 076
70	17	17	6203 2RS	100	500 076-2RS
70	25	20	6204 ZZ	200	500 077
70	25	20	6204 2RS	200	500 077-2RS
70	35	20	6204 ZZ	220	500 078
70	35	20	6204 2RS	220	500 078-2RS




16, rue du Docteur Charcot  
BP 4052 - 59704 Marcq-en-Barœul Cedex  
Tél. : +33 (0)3 20 51 09 55 - Fax : +33 (0)3 20 55 67 64  
E-mail : rotem@rotem.fr

N° de TVA : FR 86 886 980 085 - Code NAF : 518N

NOUVEAU SITE WEB <http://www.rotem.fr>





Ø	Largeur	Alésage	Rlt	Charge	Référence
73	25	20	6204 ZZ	210	500 079
73	25	20	6204 2RS	210	500 079-2RS
75	20	17	6303 ZZ	160	500 081
75	20	17	6303 2RS	160	500 081-2RS
75	21	20	6204 ZZ	160	500 083
75	21	20	6204 2RS	160	500 083-2RS
80	20	17	6303 ZZ	175	500 085
80	20	17	6303 2RS	175	500 085-2RS
80	25	25	6205 ZZ	215	500 087
80	25	25	6205 2RS	215	500 087-2RS
85	25	20	6304 ZZ	175	500 088
85	25	20	6304 2RS	175	500 088-2RS
90	20	17	6303 ZZ	195	500 098
90	20	17	6303 2RS	195	500 098-2RS
90	20	25	6205 ZZ	190	500 097




16, rue du Docteur Charcot  
 BP 4052 - 59704 Marcq-en-Barœul Cedex  
 Tél. : +33 (0)3 20 51 09 55 - Fax : +33 (0)3 20 55 67 64  
 E-mail : rotem@rotem.fr

N° de TVA : FR 86 886 980 085 - Code NAF : 518N

NOUVEAU SITE WEB <http://www.rotem.fr>







Ø	Largeur	Alésage	Rlt	Charge	Référence
90	20	25	6205 2RS	190	500 097-2RD
95	20	17	6303 ZZ	170	500 099
95	20	17	6303 2RS	170	500 099-2RS
100	25	25	6205 ZZ	260	500 089
100	25	25	6205 2RS	260	500 089-2RS

..  
..  
..  
..  
..  
..  
..  
..  
..  
..  
..  
..  
..



roues et techniques de la manutention  
fabricant depuis 1969

16, rue du Docteur Charcot  
BP 4052 - 59704 Marcq-en-Barœul Cedex  
Tél. : +33 (0)3 20 51 09 55 - Fax : +33 (0)3 20 55 67 64  
E-mail : rotem@rotem.fr  
N° de TVA : FR 86 886 980 085 - Code NAF : 518N

NOUVEAU SITE WEB <http://www.rotem.fr>

